

HYPERTURN 65 POWERMILL HIGH PERFORMANCE



ORDER NOW

TECHNICAL DATA

WORK AREA

MAIN SPINDLE

COUNTER SPINDLE

TOOL TURRET

GENERAL DATA

Travel in X/Y/Z

X1/X2/X4 405/210/210 mm // Y1/Y2/Y4 220/100/100 mm // Z1/Z2/Z4 1040/850/600 mm

Bar diameter

65 (76,2/95) mm

Swing over bed

500 mm

TECHNICAL DATA

WORK AREA

MAIN SPINDLE

COUNTER SPINDLE

TOOL TURRET

GENERAL DATA

Max. speed

0 – 5000 (4000/3500) U/min

Spindle nose

A2-6 (A2-8)

Max. drive power

29 (29/37) kW

Max. torque

250 (250/360) Nm

TECHNICAL DATA

WORK AREA

MAIN SPINDLE

COUNTER SPINDLE

TOOL TURRET

GENERAL DATA

Max. speed

0–5000 (4000/3500) rpm

Spindle nose

A2-6 (A2-8)

Max. drive power

29 (29/29) kW

Max. torque

250 (250/250) Nm

TECHNICAL DATA

WORK AREA

MAIN SPINDLE

COUNTER SPINDLE

TOOL TURRET

GENERAL DATA

Number of tools

2×12 (2×16)

Driven tools

BMT55P (BMT45P)

Max. speed

0 – 12000 rpm

Max. drive power

11,7 (11,7) kW

Max. torque

28 (25) Nm

TECHNICAL DATA

Dimensions (LxWxH)

5253 x 3200 x 2375 mm

Machine weight

13500 kg

WORK AREA

MAIN SPINDLE

COUNTER SPINDLE

TOOL TURRET

GENERAL DATA



Main Menu

[About Us](#)

[Products](#)

[Services](#)

[Blogs](#)

[Contact us](#)

Our Products

[CNC Machining Solutions](#)

[Cutting Tools](#)


[Metrology Solutions](#)

[3-D printing](#)

[Diamond Tooling Solution](#)

[Industrial Training](#)


Useful Information


 WHP2-Block-A Commercial,13-0, P2AG-

H03 Office Saih Shuaib 3

Dubai, United Arab Emirates

PO Box 127104 (U.A.E)

 +971-54-768-7456

 info@taqneea.com